



Stylish, office-compliant lighting offering new possibilities

TrueLevel, suspended

Today's lighting fixtures need to deliver more than just light. In offices, the ideal fixture needs to enable savings, and is expected to be ready for future advances. It must also be ready to be paired with lighting controls and systems. Moreover, the ideal office lighting fixture should also complement the interior design of the office space. Philips TrueLevel fulfils all these requirements and more! Building on the strengths of Philips TrueLine, a superior light line technology for offices, TrueLevel's high efficiency, superior office-compliant lighting and readiness to be potentially paired with lighting systems makes it an excellent choice for offices. In addition, TrueLevel's stylish, minimalistic, clean design complements the interior architecture and can become a design element on its own.

Benefits

- High-quality, office-compliant lighting
- Offering new possibilities in the office space
- Stylish design enhancing the interior architecture

Features

- No light interruptions on the light surface, sharp and well-defined corners, comfortable to the eye
- Ready to be paired with lighting controls
- Clean, minimalistic design

TrueLevel, suspended

Application

- Office buildings
- Educational spaces

Specifications

Ambient Temperature	+10 to +40 °C
Main colour of the luminaire	White RAL 9003
Driver failure rate at 5,000 h in %	0.01 %
Initial correlated colour temperature	4000 K
Initial input power	31.5 W

Initial LED luminaire efficacy	149 lm/W
Initial luminous flux	4700 lm
Input frequency	50 to 60 Hz
Input voltage	220-240 V
Inrush current (A)	19 A
Light source colour	940 neutral white
Material	Housing: steel

Versions



TrueLevel - LED Module, system
flux 2900 lm

Product details



TrueLevel_Suspended-
SP542P-1DPP.TIF



TrueLevel_Suspended-
SP542P-2DPP.TIF

TrueLevel, suspended

Product details



TrueLevel_Suspended-
SP542P-3DPP.TIF

TrueLevel_Suspended-
SP542P-4DPP.TIF



TrueLevel_Suspended-
SP542P-5DPP.TIF

TrueLevel_Suspended-
SP542P-6DPP.TIF



TrueLevel_Suspended-
SP542P-7DPP.TIF

